IN THE CLAIMS:

1. (Currently Amended) A cushion for a patient interface adapted to supply gas to a patient comprising:

a <u>an inner</u> cushion body; and an outer cover, wherein said body and cover are substantially having an outer cover or film that is formed of the same elemental material <u>and</u> is adhered to said inner cushion body; and

an outer sealing sheath in use adapted to engage around or adjacent the inner cushion body, where said outer sealing sheath deforms substantially independently of said inner cushion body.

- 2. (Original) A cushion as claimed in claim 1 wherein said elemental material is polyurethane.
- 3. (Currently Amended) A cushion as claimed in claim 1 wherein said <u>inner</u> cushion body is formed in polyurethane foam.
- 4. (Currently Amended) A cushion as claimed in claim 1 wherein said outer cover <u>or film</u> is formed in polyurethane film.
- 5. (Currently Amended) A cushion as claimed in claim 1 wherein said outer cover <u>or film</u> is adhered to said <u>inner cushion</u> body.

6. (Currently Amended) A cushion as claimed in claim 1 wherein said <u>inner</u> cushion body
is assembled from more than one moulded component.
7. (Currently Amended) A cushion as claimed in claim 1 wherein said <u>inner</u> cushion body
includes an attachment adapted to engage a mask.
8-10. (Cancelled)
11. (Original) A mask adapted to deliver gas to a patient comprising:
a cushion body wherein at least a portion thereof has a plurality of adjacent voids.
12. (Original) A mask as claimed in claim 11 wherein each of said voids has a hexagonal
cross section.

14. (Original) A mask as claimed in claim 11 wherein said cushion body has an outer cover and said mask further includes an outer sealing sheath.

15-16. (Cancelled)

17. (New) A method of forming a cushion including the steps of: lining a cushion molded with a thin film,

injecting a foam material into said cushion mold such that said thin film covers and adheres to said foam, thus forming a foam cushion with a thin film cover.

18. (New) A method of forming a cushion as claimed in claim 17 further including the steps of:

forming a first half of said cushion with a thin film, then forming a second half of said cushion with a thin film, and joining said first half and second half of said cushion.